

Pain Chart


Name: _____ Date: _____

Area of Concern _____

What is the WORST pain you have ever experienced? (other than the pain experienced NOW!)

What was the date of this painful experience? _____

Please use the line scale provided below to rate this PAST pain!


0 1 2 3 4 5 6 7 8 9 10
No pain  Severe Pain

Circle the letter BELOW that best describes the limitation you are having NOW!

- a) **Grade 0.** No Pain or discomfort
Mild uneasiness may or may not be present
Activities are not interfered with
- b) **Grade 1.** Minimal discomfort to mild pain
Pain or discomfort is an annoyance
Activities are normal but has concern for certain motions or posture.
- c) **Grade 2.** Slight pain to moderate pain
Pain has a marked presence
Pain reduces activities
- d) **Grade 3.** Moderate pain to severe pain
Pain so imposing as to change lifestyle
Pain dictates activities
- e) **Grade 4.** Severe pain to very severe pain
Pain is so overwhelming with little relief
Only activity is in seeking relief
- f) **Grade 5.** Pain can vary from moderate to severe
Pain has been long standing for 6 months or more
Pain has only at times been interrupted by treatment
Considerable time and effort is spent searching for relief from pain

Using the line scale provided below, rate your overall level of pain out of 10:

1. Rate the overall pain you are experiencing NOW!: ____ / 10
2. The most common intensity of overall pain: ____/10
3. Level of pain at onset: _____ / 10




DRAWING OR AREA(S) OF CONCERN

Mark the areas on your body where you currently feel the described sensations. Use the appropriate symbol. Include all affected areas.

PAIN AREA(s)

Ache ////////	Numbness +++++++	Pins & Needles oooooooooooo	Burning bbbbbbb	Stabbing ssssssss
------------------	---------------------	--------------------------------	--------------------	----------------------



NECK PAIN AND DISABILITY QUESTIONNAIRE (Vernon-Mior)

If you do not suffer from neck pain, please write n/a (not applicable)

This questionnaire has been designed to give the doctor information as to how your neck pain has affected your ability to manage in everyday life. Please answer EVERY section and mark in each section only ONE box which applies to you. We realize you may consider that two of the statements in any one section relate to you, but please just mark the box which most closely describes your problem RECENTLY.

SECTION 1 – PAIN INTENSITY

- I have no pain at the moment
- The pain is very mild at the moment
- The pain is moderate at the moment
- The pain is fairly severe at the moment
- The pain is very severe at the moment
- The pain is the worst imaginable at the moment

SECTION 2 – PERSONAL CARE (Washing, Dressing, etc.)

- I can look after myself normally without causing extra pain
- I can look after myself normally but it causes extra pain
- It is painful to look after myself, and I am slow and careful
- I need some help, but manage most of my personal care
- I need help every day in most aspects of self care
- I do not get dressed, I wash with difficulty, and I stay in bed

SECTION 3 – LIFTING

- I can lift heavy weights without extra pain
- I can lift heavy weights but it causes extra pain
- Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned (e.g. on a table)
- I can manage lifting light to medium weights off the floor
- I can only lift very light weights if they are conveniently positioned (e.g. on a table)
- I cannot lift or carry anything at all

SECTION 4 – READING

- I can read as much as I want to with no pain in my neck
- I can read as much as I want to with slight pain in my neck
- I can read as much as I want to with moderate pain in my neck
- I cannot read as much as I want because of moderate pain in my neck
- I can hardly read at all because of severe pain in my neck
- I cannot read at all

SECTION 5 – HEADACHES

- I have no headaches at all
- I have slight headaches which come infrequently
- I have moderate headaches which come infrequently
- I have moderate headaches which come frequently
- I have severe headaches which come frequently
- I have headaches almost all the time

SECTION 6 – CONCENTRATION

- I can concentrate fully when I want to with no difficulty
- I can concentrate fully when I want to with slight difficulty
- I have a fair degree of difficulty concentrating when I need to
- I have a lot of difficulty concentrating when I need to
- I have a great deal of difficulty concentrating when I need to
- I cannot concentrate at all

SECTION 7 – WORK

- I can do as much work as I want to
- I can only do my usual work, but no more
- I can do most of my usual work, but no more
- I cannot do my usual work
- I can hardly do any work at all
- I cannot do any work at all

SECTION 8 – DRIVING

- I can drive my car without any neck pain
- I can drive my car as long as I want to with slight pain in my neck
- I can drive my car as long as I want with moderate pain in my neck
- I cannot drive my car as long as I want because of pain in my neck
- I can hardly drive at all because of severe pain in my neck
- I cannot drive at all

SECTION 9 – SLEEPING

- I have no trouble sleeping
- My sleep is slightly disturbed (less than 1 hour sleepless)
- My sleep is mildly disturbed (1-2 hours sleepless)
- My sleep is moderately disturbed (2-3 hours sleepless)
- My sleep is greatly disturbed (3-5 hours sleepless)
- My sleep is completely disturbed (5-7 hours sleepless)

SECTION 10 – RECREATION

- I am able to engage in all my recreational activities with no neck pain
- I am able to engage in all my recreational activities, but with some pain in my neck
- I am able to engage in most, but not all, of my usual recreational activities because of pain in my neck
- I am able to engage in only a few of my usual recreational activities because of pain in my neck
- I can hardly do any recreational activities because of pain in my neck
- I cannot do any recreational activities at all

Neck Pain Severity Scale:


Rate your USUAL level of NECK PAIN by circling one number on the following scale:

No Pain 0 1 2 3 4 5 6 7 8 9 10 Severe Pain

HEADACHE DISABILITY INDEX

Frequency of Headaches: [] 1 per month [] more than 1 but less than 4 per month [] more than 1 per week

Please use the line scale provided below to rate your **average** headache pain.



INSTRUCTIONS: (Please read carefully) The purpose of the scale is to identify difficulties that you may be experiencing because of your headache. Please check off “Yes,” “Sometimes,” or “No” to each item. Answer each question as it pertains to your headache only.

Over the past 6 weeks:

YES Sometimes NO

1. Because of my headaches I feel handicapped			
2. Because of my headaches I feel restricted in my routine daily activities			
3. No one understands the effect my headaches have on my life			
4. I restrict my recreational activities (e.g. sports, hobbies) because of my headaches			
5. My headaches still make me angry			
6. I still feel that I am going to lose control because of my headaches			
7. Because of my headaches I am less likely to socialize			
8. My spouse (significant other), family or friends have no idea what I am going through because of my headaches			
9. My headaches are so bad that I feel that I am going to go insane			
10. My outlook on the world is affected by my headaches			
11. I am afraid to go outside when I feel that a headache is starting			
12. I feel desperate because of my headaches			
13. I am concerned that I am paying penalties at work or at home because of my headaches			
14. My headaches place stress on my relationships with family or friends			
15. I avoid being around people when I have a headache			
16. I believe my headaches are making it difficult for me to achieve my goals in life			
17. I am unable to think clearly because of my headaches			
18. I get tense (e.g. muscle tension) because of my headaches			
19. I do not enjoy social gatherings because of my headaches			
20. I feel irritable because of my headaches			
21. I avoid traveling because of my headaches			
22. My headaches make me feel confused			
23. My headaches make me feel frustrated			
24. I find it difficult to read because of my headaches			
25. I find it difficult to focus my attention away from my headaches and on other things			

LOW BACK PAIN AND DISABILITY QUESTIONNAIRE (Revised Oswestry)

If lower back pain does not apply, please write n/a (not applicable)

This questionnaire has been designed to give the doctor information as to how your back has affected your ability to manage everyday life. Please answer every section and mark in each section only the ONE box that applies to you. We realize that you may consider that two of the statements in any one section relate to you, but please just mark the box which most closely describes your problem right now.

SECTION 1 – PAIN INTENSITY

- The pain comes and goes and is very mild
- The pain is mild and does not vary much
- The pain comes and goes and is moderate
- The pain is moderate and does not vary much
- The pain comes and goes and is very severe
- The pain is severe and does not vary much

SECTION 2 – PERSONAL CARE (e.g. washing, dressing etc.)

- I can look after myself without extra pain
- I can look after myself, but it does cause extra pain
- Looking after myself increases the pain but I manage not to change my way of doing it
- Looking after myself increases the pain and I find it necessary to change my way of doing it
- Because of the pain I am unable to look after myself without some help
- Because of the pain I am unable to do any personal care without help

SECTION 3 – LIFTING

- I can lift heavy weights without extra pain
- I can lift heavy weights but it causes extra pain
- Pain prevents me from lifting heavy weights off the floor, but I manage if they are conveniently positioned (e.g. on a table)
- I can only lift light to moderate weights
- I can only lift very light weights if they are conveniently positioned
- I cannot lift or carry anything at all

SECTION 4 – WALKING

- I have no pain when walking
- I have some pain when walking, but it does not increase with distance
- I cannot walk more than 1km without increasing pain
- I cannot walk more than ½ km without increasing pain
- I cannot walk more than ¼ km without increasing pain
- I cannot walk at all without increasing pain

SECTION 5 – SITTING

- I can sit in any chair for as long as I like
- I can only sit in my favorite chair for as long as I like
- Pain prevents me from sitting for more than 1 hour
- Pain prevents me from sitting for more than ½ hour
- Pain prevents me from sitting for more than 10 minutes
- I avoid sitting because it increases pain immediately

SECTION 6 – STANDING

- I can stand for as long as I want without pain
- I have some pain when standing but it doesn't increase with time
- I can't stand for longer than one hour without increasing pain
- I cannot stand for longer than ½ hour without increasing pain
- I cannot stand for longer than 10 minutes without pain
- I avoid standing because it increase the pain right away

SECTION 7 – SLEEPING

- I get no pain in bed
- I get pain in bed but it does not prevent me from sleeping well
- Because of pain, my normal night's sleep is reduced by 25% or less
- Because of pain, my normal night's sleep is reduced by 50% or less
- Because of pain, my normal night's sleep is reduced by 75% or less
- Pain prevents me from sleeping at all

SECTION 8 – SOCIAL LIFE

- My social life is normal and gives me no pain
- My social life is normal but increases the degree of pain
- Pain has no significant effect on my social life apart from limiting my more energetic interests, e.g. dancing
- Pain has restricted my social life and I do not go out very often
- Pain has restricted my social life to my home
- I have hardly any social life because of the pain

SECTION 9 – TRAVELLING

- I get no pain whilst travelling
- I get some pain whilst travelling but none of my usual forms of travel make it any worse
- I get extra pain whilst travelling but it does not compel me to seek alternative forms of travel
- I get extra pain whilst traveling which compels me to seek alternative forms of travel
- Pain prevents all forms of travel except if laying down
- Pain prevents all forms of travel

SECTION 10 – CHANGING DEGREE OF PAIN

- My pain is rapidly getting better
- My pain fluctuates but overall is definitely getting better
- My pains seems to be getting better but improvement is slow
- My pain is neither getting better nor worse
- My pain is gradually worsening
- My pain is rapidly worsening

Low back Pain Severity Scale:

Rate your USUAL level of LOW BACK PAIN by checking one number on the following scale

No Pain 0 1 2 3 4 5 6 7 8 9 10 Severe Pain

LOW BACK PAIN DISABILITY QUESTIONNAIRE (Roland-Morris)

When your back hurts, you may find it difficult to do some of the things that you normally do. Mark only the sentences that describe you CURRENTLY (last week).

- Because of my back pain, I stay at home most of the time
- I change position frequently to try and get my back comfortable
- Because of my back pain, I walk more slowly than usual
- Because of my back pain, I am not doing any jobs that I usually do around the house
- Because of my back pain, I use a handrail to get upstairs
- Because of my back pain, I lie down to rest more often
- Because of my back pain, I have to hold on to something to get out of an easy chair
- Because of my back pain, I try to get other people to do things for me
- Because of my back pain, I get dressed more slowly than usual
- Because of my back pain, I only stand up for short periods of time
- Because of my back pain, I try not to bend or kneel down
- Because of my back pain, I find it difficult to get out of a chair
- My back is painful almost all of the time
- Because of my back pain, I find it difficult to turn over in bed
- Because of my back pain, my appetite is not very good
- Because of my back pain, I have trouble putting on my socks (or stockings)
- Because of my back pain, I only walk short distances
- Because of my back pain, I don't sleep as well
- Because of my back pain, I get dressed only with help from someone else
- Because of my back pain, I sit down for most of the day
- Because of my back pain, I avoid heavy jobs around the house
- Because of my back pain, I am more irritable and bad tempered with people than usual
- Because of my pack pain, I go upstairs more slowly than usual
- Because of my back pain, I stay in bed most of the time

Pain Severity Scale:

Rate your level of low back pain TODAY by checking one number on the following scale:

No pain 0 1 2 3 4 5 6 7 8 9 10 Severe Pain
